

038 906

1.9l R4 EDC G00

Block A: 027

Block B: 011

Block C: 008

Markierz Zeit	Drehzahl Geschw Geschw			Zeit (G28)	Motordrehza (G28)	Ladedruc (Sollwert)	Ladedrucl (Istwert)	Magnetventil (N7) Ladedruckbegren: (G28)	%	MARKE	/min	mg/H	mg/H	Rauchbeg moment begren.
	MARKE	/min	km/h											
0.02	903	0.0	0.0	0.40	903	1091.4	959.4	21.9	0.80	903	0.0	29.9	26.1	
1.18	903	0.0	0.0	1.56	903	1081.2	959.4	21.9	1.94	903	0.0	29.9	26.1	
2.29	903	0.0	0.0	2.65	903	1081.2	959.4	21.9	03.01	903	0.0	29.9	26.1	
3.37	903	0.0	0.0	3.93	903	1081.2	959.4	21.9	4.29	903	0.0	29.9	26.1	
4.65	903	0.0	0.0	05.01	903	1081.2	959.4	21.9	5.37	882	0.0	29.9	26.1	
5.73	903	0.0	0.0	06.09	903	1091.4	959.4	21.9	6.45	882	0.0	29.9	26.4	
6.81	819	0.0	0.0	7.19	861	1142.4	971.1	19.9	7.58	945	0.0	29.9	26.6	
7.98	924	0.0	0.0	8.38	924	1091.4	971.1	21.9	8.78	903	0.0	29.9	26.9	
9.18	840	0.0	0.0	9.58	861	1132.2	971.1	19.9	9.98	924	0.0	29.9	26.6	
10.36	882	0.0	0.0	10.74	861	1142.4	982.8	19.9	11.11	882	0.0	29.9	26.6	
11.47	882	0.0	0.0	11.83	861	1152.6	982.8	19.9	12.19	882	0.0	29.9	26.1	
12.55	966	3.0	0.0	12.91	966	1081.2	982.8	23.1	13.27	945	0.0	29.9	26.4	
13.63	924	0.0	0.0	13.99	924	1091.4	982.8	22.3	14.35	903	4.1	29.9	26.1	
14.71	945	0.0	0.0	15.07	903	1101.6	982.8	21.5	15.43	903	0.0	29.9	24.4	
15.79	924	0.0	0.0	16.15	924	1081.2	971.1	22.3	16.53	903	0.0	29.9	22.8	
16.94	924	0.0	0.0	17.34	903	1081.2	971.1	21.9	17.74	861	15.1	29.9	23.9	
18.14	1071	0.0	0.0	18.54	1050	1193.4	982.8	19.9	18.94	1029	15.1	31.3	27.2	
19.34	1029	2.0	0.0	19.73	1008	1213.8	1006.2	19.9	20.10	1029	15.4	31.0	27.2	
20.46	1134	8.0	0.0	20.83	1239	1183.2	1029.6	28.7	21.19	1344	17.8	42.8	26.9	
21.55	1449	11.0	0.0	21.91	1470	1020.0	1111.5	36.3	22.27	966	0.0	29.9	21.1	
22.63	903	12.0	0.0	22.99	1092	1162.8	1017.9	19.9	23.35	987	16.2	29.9	28.8	
23.71	987	13.0	0.0	24.07	1029	1224.0	1053.0	19.9	24.43	1092	16.7	33.2	27.5	
24.79	1134	16.0	0.0	25.15	1197	1244.4	1076.4	19.9	25.53	1260	21.1	39.8	27.7	
25.93	1323	19.0	0.0	26.34	1386	1244.4	1146.6	33.9	26.74	1428	19.2	45.3	29.6	
27.14	1491	21.0	0.0	27.54	1533	1275.0	1228.5	41.4	27.94	1575	17.8	49.4	32.4	
28.34	1596	23.0	0.0	28.72	1617	1213.8	1193.4	45.4	29.10	1638	12.9	51.1	20.9	
29.47	1638	24.0	0.0	29.83	1659	1213.8	1099.8	38.3	30.19	1659	12.6	51.6	20.0	
30.55	1659	24.0	0.0	30.91	1428	989.4	1064.7	25.9	31.27	945	0.0	29.9	19.5	
31.63	945	24.0	0.0	31.99	924	1060.8	994.5	22.3	32.35	903	0.0	29.9	19.5	
32.71	903	24.0	0.0	33.07	903	1071.0	971.1	21.9	33.43	903	0.0	29.9	20.9	
33.79	882	22.0	0.0	34.15	903	1071.0	971.1	21.9	34.51	903	0.0	29.9	20.6	
34.92	903	18.0	0.0	35.31	903	1071.0	971.1	21.9	35.72	903	0.0	29.9	20.3	
36.12	903	13.0	0.0	36.52	903	1071.0	971.1	21.9	36.92	903	0.0	29.9	20.0	
37.32	903	5.0	0.0	37.71	903	1071.0	971.1	21.9	38.10	903	0.0	29.9	20.0	
38.47	903	0.0	0.0	38.83	903	1071.0	971.1	21.9	39.19	1197	19.8	37.3	24.4	
39.55	1176	0.0	0.0	39.91	1113	1183.2	1029.6	23.9	40.27	1134	15.6	34.6	27.2	
40.63	1092	4.0	0.0	40.99	1071	1111.8	1076.4	25.5	41.35	1050	0.0	31.6	20.6	
41.71	924	7.0	0.0	42.07	903	1071.0	1006.2	21.9	42.42	903	0.0	29.9	19.5	
42.79	1050	7.0	0.0	43.16	1176	1213.8	982.8	21.1	43.51	1260	22.2	39.5	26.6	
43.88	1449	10.0	0.0	44.27	1722	1662.6	1193.4	22.7	44.68	1659	0.0	51.6	27.7	
45.08	1008	15.0	0.0	45.48	1302	1387.2	1099.8	19.9	45.88	1176	39.5	37.6	30.7	
46.28	1344	18.0	0.0	46.68	1449	1366.8	1240.2	28.7	47.07	1512	20.6	48.3	31.8	
47.44	1575	22.0	0.0	47.81	1596	1315.8	1322.1	45.8	48.17	1617	19.5	50.8	28.3	
48.53	1638	24.0	0.0	48.89	1680	1315.8	1251.9	43.4	49.25	1701	18.4	52.4	23.6	
49.61	1596	25.0	0.0	49.96	1050	999.6	1134.9	22.3	50.33	1155	15.6	36.2	28.0	
50.69	1071	25.0	0.0	51.05	1092	1285.2	1099.8	19.9	51.41	1113	22.8	34.6	29.9	
51.77	1134	26.0	0.0	52.13	1155	1213.8	1134.9	20.3	52.49	1176	19.8	36.8	28.5	
52.86	1197	27.0	0.0	53.25	1197	1183.2	1134.9	29.5	53.63	1197	17.3	37.6	28.5	
54.03	1218	28.0	0.0	54.44	1218	1142.4	1123.2	40.6	54.84	1197	12.1	37.6	27.7	
55.24	1197	28.0	0.0	55.64	1197	1101.6	1064.7	43.0	56.03	1071	0.0	32.4	19.8	
56.40	1113	27.0	0.0	56.78	945	1071.0	994.5	21.5	57.15	924	0.0	29.9	19.5	
57.51	903	25.0	0.0	57.87	903	1071.0	971.1	21.9	58.23	903	0.0	29.9	19.8	
58.59	903	20.0	0.0	58.95	903	1071.0	971.1	21.9	59.31	903	0.0	29.9	19.5	
59.67	903	16.0	0.0	60.03	903	1060.8	971.1	21.9	60.39	1281	17.0	40.4	25.0	
60.75	1134	16.0	0.0	61.11	1176	1213.8	1041.3	21.1	61.47	1260	33.5	39.3	28.0	
61.83	1365	18.0	0.0	62.20	1470	1417.8	1216.8	24.7	62.60	1554	25.3	48.9	34.3	
62.99	1638	23.0	0.0	63.40	1722	1448.4	1439.1	46.6	63.80	1701	0.0	53.0	29.1	
64.20	1155	26.0	0.0	64.60	945	1060.8	1111.5	22.3	64.99	924	0.0	29.9	19.5	
65.38	903	26.0	0.0	65.76	903	1060.8	994.5	21.9	66.13	903	0.0	29.9	19.5	

Block A: 027				Block B: 011				Block C: 008					
Zeit	Drehzal	Geschw	Geschw	Zeit	Motordrehza (G28)	Ladedruc (Sollwert)	Ladedruc (Istwert)	Magnetventil (N7) Ladedruckbegren:	Motor (G28)	Fahrerw moment	Drehm begren	Rauchbeg	
66.49	903	25.0	0.0	66.85	903	1060.8	971.1	21.9	67.21	903	0.0	29.9	19.5
67.57	903	24.0	0.0	67.93	1260	1203.6	947.7	19.9	68.29	1071	27.5	32.9	27.5
68.65	1113	25.0	0.0	69.00	1155	1346.4	1088.1	19.9	69.37	1197	28.5	37.6	29.4
69.73	1239	28.0	0.0	70.08	1281	1213.8	1181.7	29.5	70.45	1281	12.9	40.4	29.4
70.81	1302	30.0	0.0	71.17	1281	1060.8	1099.8	43.8	71.57	1281	5.2	40.4	17.6
71.97	1260	30.0	0.0	72.38	1239	1050.6	994.5	42.2	72.78	1239	6.3	38.7	17.6
73.17	1218	29.0	0.0	73.58	1218	1071.0	971.1	41.8	73.98	1197	8.0	37.6	17.8
74.37	1197	28.0	0.0	74.76	1176	1081.2	971.1	42.6	75.13	1197	8.2	37.1	18.1
75.49	1176	27.0	0.0	75.84	1176	1091.4	959.4	42.6	76.20	1176	9.1	36.2	18.7
76.57	1155	27.0	0.0	76.93	1176	1091.4	971.1	42.6	77.28	1155	9.1	36.0	18.4
77.64	1155	27.0	0.0	78.01	1155	1091.4	971.1	42.6	78.37	1155	8.8	36.0	18.4
78.73	1155	27.0	0.0	79.09	1155	1091.4	971.1	42.6	79.45	1155	8.8	36.0	18.7
79.81	1155	27.0	0.0	80.17	1155	1101.6	971.1	42.6	80.55	1134	9.1	35.4	18.7
80.93	1155	27.0	0.0	81.33	1134	1101.6	971.1	41.8	81.73	1155	7.7	35.7	18.7
82.13	1134	27.0	0.0	82.53	903	1071.0	971.1	22.3	82.93	903	0.0	29.9	19.5
83.33	903	25.0	0.0	83.72	903	1071.0	971.1	21.9	84.10	903	0.0	29.9	19.8
84.46	903	16.0	0.0	84.83	903	1071.0	971.1	21.9	85.18	903	0.0	29.9	19.8
85.54	903	8.0	0.0	85.91	903	1071.0	971.1	21.9	86.26	903	0.0	29.9	19.8
86.62	903	0.0	0.0	86.98	903	1060.8	971.1	21.9	87.34	882	0.0	29.9	20.3
87.71	882	0.0	0.0	88.07	882	1091.4	971.1	21.5	88.43	882	0.0	29.9	20.9
88.79	1176	3.0	0.0	89.15	1428	1295.4	994.5	26.3	89.51	1407	22.0	44.5	30.7
89.91	1302	8.0	0.0	90.31	1596	1407.6	1205.1	32.3	90.71	1701	0.0	53.0	27.5
91.11	1092	14.0	0.0	91.52	1050	1377.0	1123.2	19.9	91.91	1155	68.6	35.4	30.7
92.31	1260	17.0	0.0	92.72	1386	1856.4	1240.2	19.9	93.10	1533	69.2	48.6	35.1
93.48	1701	23.0	0.0	93.85	1890	2233.8	1790.1	38.3	94.22	2100	66.2	54.1	57.1
94.59	2331	31.0	0.0	94.94	2583	2325.6	2316.6	51.4	95.31	2814	62.9	51.3	55.2
95.67	3024	41.0	0.0	96.03	2730	1020.0	1801.8	38.6	96.39	1974	0.0	54.9	26.1
96.74	1869	45.0	0.0	97.11	1974	1601.4	1322.1	38.3	97.47	1974	27.7	54.9	43.4
97.83	1995	46.0	0.0	98.18	2037	1611.6	1614.6	47.8	98.55	2079	27.2	54.4	27.2
98.92	2100	48.0	0.0	99.31	2142	1611.6	1591.2	49.0	99.71	2163	26.9	53.8	27.2
100.12	2205	51.0	0.0	100.51	2226	1611.6	1579.5	49.4	100.92	2268	26.4	53.3	27.5
101.31	2310	53.0	0.0	101.71	2310	1601.4	1579.5	49.8	102.10	2352	26.4	53.0	26.4
102.48	2373	55.0	0.0	102.86	2394	1438.2	1626.3	52.6	103.23	1911	0.0	55.5	25.0
103.59	1659	56.0	0.0	103.95	1680	2070.6	1251.9	22.3	104.31	1659	55.5	51.9	45.3
104.66	1701	57.0	0.0	105.03	1743	1958.4	1930.5	43.0	105.38	1764	40.9	54.1	56.0
105.75	1785	60.0	0.0	106.11	1470	989.4	1638.0	26.7	106.47	966	0.0	29.9	26.1
106.82	945	60.0	0.0	107.18	1239	1081.2	1088.1	23.9	107.55	1428	12.4	45.6	25.8
107.90	1428	59.0	0.0	108.29	1428	1285.2	1146.6	34.7	108.69	1407	25.0	44.7	30.5
109.09	1428	59.0	0.0	109.49	1428	1326.0	1310.4	33.9	109.89	1428	24.2	45.6	32.9
110.30	1449	60.0	0.0	110.69	1428	1336.2	1357.2	38.3	111.10	1449	24.4	46.1	31.8
111.48	1449	61.0	0.0	111.86	1470	1346.4	1345.5	39.4	112.23	1470	23.9	46.9	29.6
112.58	1470	61.0	0.0	112.95	1470	1336.2	1345.5	41.4	113.30	1491	22.5	47.5	29.4
113.66	1491	62.0	0.0	114.02	1491	1305.6	1310.4	43.0	114.38	1491	20.0	47.5	27.5
114.74	1512	63.0	0.0	115.10	1491	1264.8	1251.9	43.4	115.46	1491	16.5	47.8	24.2
115.82	1512	63.0	0.0	116.18	1512	1224.0	1181.7	42.2	116.54	1512	15.6	48.0	22.0
116.90	1512	63.0	0.0	117.27	1512	1224.0	1146.6	39.4	117.65	1512	15.4	48.0	22.0
118.05	1512	63.0	0.0	118.45	1512	1203.6	1134.9	37.9	118.85	1512	14.0	48.0	20.9
119.25	1512	63.0	0.0	119.65	1512	1193.4	1111.5	37.1	120.05	1512	12.1	48.0	19.8
120.45	1491	62.0	0.0	120.84	1470	1081.2	1053.0	45.8	121.21	1470	2.2	47.2	17.3
121.59	1470	62.0	0.0	121.94	1449	989.4	994.5	25.9	122.30	1449	0.0	46.1	16.7
122.66	1449	60.0	0.0	123.02	1428	989.4	982.8	25.5	123.38	1428	0.0	45.3	16.7
123.74	1407	59.0	0.0	124.10	1407	989.4	971.1	25.1	124.46	1386	0.0	43.9	17.0
124.82	1365	58.0	0.0	125.18	1365	989.4	971.1	24.3	125.54	1344	0.0	42.8	17.0
125.90	1323	56.0	0.0	126.26	1302	989.4	971.1	23.5	126.64	1260	0.0	40.1	17.3
127.03	1218	53.0	0.0	127.43	1197	989.4	971.1	22.3	127.83	1029	0.0	32.1	19.2
128.23	924	49.0	0.0	128.63	903	1071.0	971.1	21.9	129.03	903	0.0	29.9	20.0
129.43	1071	43.0	0.0	129.82	1323	989.4	971.1	23.1	130.20	1533	0.0	48.6	17.0
130.57	1491	36.0	0.0	130.92	1449	989.4	971.1	25.9	131.28	1428	0.0	45.0	16.7
131.64	1386	33.0	0.0	132.00	1365	989.4	971.1	24.3	132.36	1323	0.0	41.7	17.0
132.72	1260	30.0	0.0	133.08	1239	989.4	971.1	22.7	133.44	1218	0.0	38.2	17.8
133.80	1197	28.0	0.0	134.16	1155	989.4	971.1	21.9	134.52	1134	0.0	35.1	18.7
134.88	1092	26.0	0.0	135.24	1071	989.4	971.1	20.7	135.60	1029	0.0	31.0	19.2

Block A: 027				Block B: 011				Block C: 008					
Zeit	Drehzal	Geschw	Geschw	Zeit	Motorrehza (G28)	Ladedruc (Sollwert)	Ladedruc (Istwert)	Magnetventil (N7) Ladedruckbegren:	Motor (G28)	Fahre moment	Drehm begren	Rauchbeg	
135.99	1008	24.0	0.0	136.39	966	999.6	971.1	19.9	136.79	966	14.5	29.9	20.3
137.19	924	22.0	0.0	137.59	966	1336.2	1006.2	19.9	137.99	1008	34.3	29.9	28.0
138.39	1050	23.0	0.0	138.79	1071	1346.4	1099.8	19.9	139.18	1113	31.8	34.3	31.6
139.55	1155	26.0	0.0	139.92	1197	1366.8	1216.8	19.9	140.28	1260	30.5	39.5	32.1
140.64	1323	29.0	0.0	141.00	1386	1560.6	1322.1	19.9	141.36	1428	48.9	45.6	37.1
141.72	1491	33.0	0.0	142.08	1554	1968.6	1614.6	22.3	142.44	1617	50.8	50.2	55.7
142.80	1701	38.0	0.0	143.17	1785	2070.6	2129.4	45.0	143.52	1848	48.0	54.9	57.4
143.88	1911	43.0	0.0	144.24	1974	2142.0	2386.8	59.8	144.60	2037	46.7	54.6	57.1
144.97	2121	48.0	0.0	145.35	2184	2162.4	2117.7	53.0	145.75	2247	45.3	53.3	55.2
146.15	2331	53.0	0.0	146.55	2394	2172.6	2094.3	53.0	146.94	2478	44.2	52.4	55.2
147.35	2541	58.0	0.0	147.75	2604	2142.0	2141.1	56.6	148.15	2499	0.0	52.4	25.3
148.54	1827	61.0	0.0	148.92	1848	1744.2	1287.0	24.7	149.29	1806	61.5	54.4	47.8
149.64	1827	61.0	0.0	150.01	1848	2223.6	2187.9	48.6	150.36	1869	53.0	55.5	57.4
150.72	1911	64.0	0.0	151.08	1932	2162.4	2421.9	59.8	151.44	1974	46.9	55.2	56.5
151.80	1995	67.0	0.0	152.16	2016	2070.6	2000.7	47.0	152.52	2037	41.2	54.6	54.4
152.88	2058	69.0	0.0	153.24	1974	1020.0	1860.3	46.6	153.60	1449	0.0	46.1	21.1
153.96	924	69.0	0.0	154.34	924	1060.8	1134.9	21.9	154.73	1491	0.0	46.7	16.7
155.13	1575	67.0	0.0	155.53	1554	999.6	1017.9	27.5	155.93	1533	0.0	48.6	16.7
156.33	1512	64.0	0.0	156.73	1491	1020.0	994.5	31.1	157.13	1470	3.0	46.7	16.7
157.53	1449	61.0	0.0	157.90	1449	1203.6	982.8	47.0	158.26	1428	17.8	45.3	26.1
158.62	1428	60.0	0.0	158.99	1407	1264.8	1134.9	34.3	159.34	1407	19.5	44.7	28.5
159.70	1407	59.0	0.0	160.06	1407	1254.6	1216.8	38.3	160.43	1386	19.5	44.2	28.3
160.78	1386	58.0	0.0	161.14	1386	1254.6	1205.1	36.7	161.50	1386	19.5	43.9	27.2
161.86	1386	58.0	0.0	162.22	1386	1254.6	1216.8	35.9	162.58	1386	22.2	43.9	29.4
162.94	1386	58.0	0.0	163.30	1386	1326.0	1275.3	27.1	163.68	1386	24.7	43.9	30.7
164.09	1386	58.0	0.0	164.49	1386	1315.8	1322.1	30.7	164.89	1386	24.2	44.2	32.4
165.29	1386	58.0	0.0	165.69	1407	1315.8	1333.8	31.9	166.09	1407	22.8	44.2	30.2
166.49	1386	58.0	0.0	166.88	1407	1295.4	1287.0	33.1	167.25	1386	22.8	44.2	28.8
167.62	1407	58.0	0.0	167.98	1386	1295.4	1287.0	32.3	168.34	1386	22.5	44.2	28.5
168.70	1386	58.0	0.0	169.06	1407	1275.0	1275.3	35.1	169.42	1386	20.9	43.9	28.5
169.78	1386	58.0	0.0	170.14	1386	1254.6	1251.9	37.5	170.50	1386	19.2	43.6	26.6
170.86	1365	58.0	0.0	171.22	1365	1234.2	1228.5	38.6	171.58	1365	17.0	43.1	25.0
171.94	1365	57.0	0.0	172.30	1365	1213.8	1181.7	37.1	172.66	1344	17.0	42.8	24.4
173.04	1344	56.0	0.0	173.45	1344	1213.8	1170.0	35.1	173.85	1344	17.3	42.8	26.1
174.25	1344	56.0	0.0	174.65	1344	1224.0	1181.7	32.3	175.05	1344	19.2	42.3	27.2
175.45	1344	56.0	0.0	175.85	1323	1234.2	1216.8	33.5	176.24	1323	19.8	42.3	27.5
176.61	1323	56.0	0.0	176.96	1344	1285.2	1228.5	22.7	177.32	1344	24.7	42.3	30.5
177.68	1344	56.0	0.0	178.04	1344	1305.6	1287.0	22.3	178.40	1365	24.2	42.8	30.7
178.76	1365	57.0	0.0	179.12	1365	1305.6	1322.1	28.3	179.48	1386	23.3	43.6	30.2
179.84	1386	57.0	0.0	180.20	1386	1295.4	1310.4	29.5	180.56	1386	23.1	44.2	30.2
180.92	1407	58.0	0.0	181.28	1407	1305.6	1310.4	29.9	181.64	1407	23.3	44.5	29.6
182.01	1407	59.0	0.0	182.40	1428	1315.8	1310.4	30.7	182.81	1428	22.5	45.3	28.5
183.21	1428	59.0	0.0	183.61	1428	1285.2	1298.7	37.5	184.01	1428	19.2	45.6	26.9
184.41	1428	60.0	0.0	184.81	1428	1244.4	1240.2	38.6	185.20	1449	16.7	45.8	24.4
185.58	1428	60.0	0.0	185.95	1428	1224.0	1181.7	36.3	186.30	1428	15.9	45.6	22.5
186.66	1428	60.0	0.0	187.02	1428	1224.0	1170.0	35.1	187.38	1428	17.0	45.6	24.2
187.74	1428	60.0	0.0	188.10	1428	1234.2	1193.4	34.3	188.46	1428	17.3	45.6	25.0
188.82	1428	60.0	0.0	189.18	1428	1234.2	1205.1	34.3	189.54	1428	17.6	45.6	24.4
189.90	1428	60.0	0.0	190.26	1449	1285.2	1216.8	29.9	190.62	1428	20.6	45.8	29.9
190.98	1449	60.0	0.0	191.36	1449	1285.2	1287.0	34.3	191.75	1449	20.3	46.1	26.6
192.15	1449	60.0	0.0	192.55	1470	1275.0	1263.6	34.3	192.95	1449	19.2	46.4	27.5
193.35	1470	61.0	0.0	193.75	1449	1234.2	1251.9	37.9	194.15	1470	15.9	46.4	22.5
194.54	1449	61.0	0.0	194.91	1449	1193.4	1170.0	34.7	195.28	1449	13.2	46.1	20.3
195.64	1449	61.0	0.0	196.00	1449	1203.6	1111.5	30.3	196.36	1449	14.0	46.1	29.4
196.72	1449	60.0	0.0	197.08	1449	1193.4	1146.6	33.5	197.44	1449	14.3	45.8	20.3
197.80	1449	60.0	0.0	198.16	1449	1193.4	1134.9	31.5	198.52	1449	14.5	45.8	20.3
198.88	1449	60.0	0.0	199.24	1449	1193.4	1123.2	29.9	199.60	1428	13.7	45.6	20.9
199.96	1428	60.0	0.0	200.32	1428	1183.2	1123.2	29.9	200.70	1428	14.0	45.3	19.5
201.10	1428	60.0	0.0	201.51	1428	1193.4	1111.5	26.3	201.91	1428	14.3	45.3	21.4
202.31	1407	59.0	0.0	202.71	1407	1224.0	1134.9	24.7	203.11	1407	17.6	45.0	22.2
203.51	1428	59.0	0.0	203.90	1407	1234.2	1216.8	28.3	204.27	1428	17.8	45.0	25.5
204.64	1428	59.0	0.0	205.00	1428	1234.2	1216.8	28.3	205.36	1428	17.0	45.3	24.4

Block A: 027				Block B: 011				Block C: 008					
Zeit	Drehzal	Geschw	Geschw	Zeit	Motordrehza	Ladedruc	Ladedruc	Magnetventil (N7)	Motor	Fahre	Drehm	Rauchbeg	
				(G28)	(Sollwert)	(Istwert)	Ladedruckbegren:	(G28)	moment	begren:			
205.72	1428	59.0	0.0	206.08	1428	1224.0	1193.4	27.5	206.44	1428	16.5	45.0	21.4
206.80	1428	59.0	0.0	207.16	1428	1213.8	1181.7	26.3	207.52	1428	15.9	45.3	22.5
207.88	1428	59.0	0.0	208.24	1428	1203.6	1170.0	26.7	208.60	1428	15.4	45.6	21.7
208.96	1428	59.0	0.0	209.32	1428	1203.6	1158.3	25.9	209.68	1428	15.1	45.3	23.1
210.07	1428	59.0	0.0	210.47	1428	1203.6	1146.6	25.1	210.87	1428	13.7	45.0	21.7
211.27	1428	59.0	0.0	211.67	1428	1183.2	1123.2	24.3	212.07	1428	13.2	45.3	20.3
212.47	1428	59.0	0.0	212.86	1386	1111.8	1076.4	45.8	213.23	1302	0.0	41.7	17.3
213.60	924	59.0	0.0	213.96	903	1071.0	1017.9	21.9	214.32	903	0.0	29.9	19.5
214.68	1008	58.0	0.0	215.04	1428	989.4	982.8	23.5	215.40	2058	0.0	54.4	17.3
215.76	2310	55.0	0.0	216.12	2268	999.6	1064.7	35.9	216.48	2247	0.0	53.3	23.6
216.84	2205	52.0	0.0	217.20	2184	999.6	1146.6	34.7	217.56	2163	0.0	53.8	17.3
217.92	2121	50.0	0.0	218.28	2100	999.6	1064.7	33.1	218.64	2079	0.0	54.4	17.3
219.00	2058	48.0	0.0	219.40	2016	989.4	1041.3	32.3	219.81	1974	0.0	55.2	17.3
220.21	1890	46.0	0.0	220.61	1806	989.4	1017.9	30.3	221.01	1701	0.0	52.7	17.0
221.41	1596	39.0	0.0	221.81	1470	989.4	1006.2	26.7	222.20	1407	0.0	44.5	16.7
222.57	1365	33.0	0.0	222.95	1323	989.4	982.8	23.9	223.30	1281	0.0	40.9	17.3
223.66	1260	30.0	0.0	224.02	1260	999.6	982.8	22.7	224.38	1344	29.1	42.3	24.2
224.74	1260	29.0	0.0	225.10	1323	1795.2	1111.5	20.7	225.46	1365	68.1	43.1	30.7
225.82	1386	32.0	0.0	226.18	1449	1917.6	1380.6	19.9	226.54	1512	67.0	48.3	42.5
226.90	1575	35.0	0.0	227.26	1680	2111.4	1848.6	33.5	227.62	1764	64.0	53.8	57.4
227.98	1848	41.0	0.0	228.36	1911	1744.2	2258.1	55.8	228.76	1932	18.7	55.5	41.7
229.17	1953	45.0	0.0	229.57	1911	1060.8	1158.3	39.4	229.97	1890	2.2	55.7	18.7
230.37	1869	44.0	0.0	230.76	1848	1122.0	1029.6	45.0	231.17	1806	5.8	54.6	17.8
231.56	1806	42.0	0.0	231.93	1785	1162.8	1017.9	47.8	232.30	1764	9.3	54.1	17.6
232.66	1743	41.0	0.0	233.02	1764	1458.6	1041.3	30.7	233.38	1785	24.2	54.1	31.8
233.74	1785	42.0	0.0	234.10	1827	1468.8	1439.1	45.4	234.46	1848	23.3	54.9	25.3
234.82	1869	43.0	0.0	235.18	1869	1479.0	1474.2	47.8	235.54	1890	23.1	55.7	25.5
235.90	1911	44.0	0.0	236.26	1911	1530.0	1450.8	43.0	236.62	1953	31.3	55.5	43.4